

3D FILAMENT PET-G CarbonLook date of issue: 13.03.2020 date of update: 12.12.2023

PRODUCT NAME: 3D FILAMENT PET-G CarbonLoo
---

**PRODUCT DESCRIPTION:**PET-G CarbonLook filament - poly(ethylene terephthalate) with<br/>addition of glycol and carbon fiber in the form of a thread,<br/>designed for 3D printing using the FFF/FDM method. Filament<br/>coiled on spools or cardboard core (no spool), vacuum-packed<br/>with desiccant in a PET/PE bag, and then in a box.

## **SECTION 1: Product and Company identyfication**

**1.1 Product identification** 

Product name:	FILAMENT 3D PETG CarbonLook
Trade name:	FILAMENT 3D PETG CarbonLook 1,75mm
	FILAMENT 3D PETG CarbonLook 2,85mm

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses:

Thermal processing of 3D printing

1.3 Details of the supplier of the safety data sheet

Supplier:	ROSA PLAST Sp. z o.o.
	05-074 Hipolitów, Polska
	ul. Hipolitowska 102B
	tel: +48 783 62 62
E-mail address of the person	
responsible for this safety datasheet:	3d@rosaplast.pl

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

The substance is not classified as dangerous according to Regulation (EC) No 1272/2008 (CLP/GHS).

#### 2.2 Label elements

Markings according to EC guidelines: According to the method of calculating the "General Classification Guideline for the Production of the EC" in the latest valid version, the product does not require labeling.

The normal safety measures for handling chemicals should be observed.



### 2.3 Other hazards

The hazards of this product are associated mainly with its processing. Molten polymer will produce thermal burns. Polymer dust may represent a fire hazard at sufficient concentrations in presence of ignition sources.

## SECTION 3: Composition/information on ingredients

PETG (co-polyester)

Carbon Fiber

### **SECTION 4: First aid measures**

**Eye contact:** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes Call a physician immediately

**Skin contact:** Rinse immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician Cool skin rapidly with cold water after contact with hot product. Do not peel filament from the skin. Consult a physician

Inhalation: Move to fresh air. Call a physician immediately

**Ingestion:** Drink water as a precaution. Never give anything by mouth to an unconscious person Do not induce vomiting without medical advice Call a physician immediately

Notes to physician: Treat symptomatically

### **SECTION 5: Firefighting measures**

Suitable extinguishing media: Foam, Water, Carbon dioxide (CO<sub>2</sub>), Dry chemical.

Unsuitable extinguishing media None

**Special protective equipment for firefighters:** As in any fire, wear self-contained breathing apparatus, and full protective gear

**Under fire conditions:** Risks of ignition (followed by flame propagation or secondary explosions) shall be prevented by avoiding accumulation of dust, e.g. on floors and ledges.



MATERIAL SAFETY DATA SHEET 3D FILAMENT PET-G CarbonLook date of issue: 13.03.2020 date of update: 12.12.2023

### SECTION 6: Accidental release measures

**Personal precautions:** See Section 8. Keep away from sources of ignition. Avoid dust formation. Avoid contact with skin and eyes.

**Environmental precautions:** Do not flush into surface and ground and ground water or sanitary sewer system.

Methods for cleaning up: Shovel into suitable container for disposal.

## SECTION 7: Handling and storage

**Safe handling advice:** Avoid contact with skin and eyes. Employees should be protected from the possibility of contact with the molten filament during printing. Use personal protective equipment if necessary. In the process of printing, gases and vapors may be generated which may irritate the respiratory system, eyes and skin. It should be processed in a well-ventilated room.

**Storage:** Store in a cool place. Protect from sunlight. Store in a dry place.

Precautions: No special precautions required.

## SECTION 8: Exposure controls/personal protection

#### **Exposure Control:**

**Engineering measures:** Where possible, local exhaust ventilation and good general room ventilation should be used. Provide adequate exhaust ventilation in places of dust formation.

**Exposure limits:** None established. This material can generate Particulates Not Otherwise Classifiable (PNOC).

### General safety and hygiene:

- Keep away from foodstuffs, beverages, and food.
- Do not eat, drink, smoke.
- Do not breathe dust / smoke.
- Avoid contact with eyes and skin.
- Wash hands before breaks and after work.

#### **Breathing equipment:**

 It is not required under normal conditions of use. In the case of loose dust / fumes use a breathing apparatus.

#### **Protection of hands:**

• To operate a hot product, heat resistant gloves.

#### Eye protection:

Protection glasses

### **Body protection:**

• For transport, hot, molten product - heat-resistant protective clothing.

### ROSA PLAST Sp. z o.o.

ul. Hipolitowska 102B, 05-074 Hipolitów tel.: +48 22 783 62 62, www.rosa3d.pl



3D FILAMENT PET-G CarbonLook date of issue: 13.03.2020 date of update: 12.12.2023

# SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance:	Wire.
Odour:	Slight.
pH:	Not applicable.
Boiling Point:	Not available.
Flash point:	Not applicable.
Evaporation rate:	Not applicable.
Flammability:	Non-flammable.
Vapour pressure:	Not available.
Vapour density:	Not available.
Relative density:	≥1,27 g/cm <sup>3</sup>
Solubility(ies):	Insoluble in water.

### SECTION 10: Stability and reactivity

**Reactivity:** No specific test data related to reactivity available for this product or its ingredients. **Chemical stability:** The product is stable.

**Possibility of hazardous reactions:** Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid: No specific data.

**Incompatible materials:** Acetic Anhydride, acetone, aniline, benzene, chloroform, chromic acid, cyclohexanone, dimethylformamide, dioxane, ethyl acetate, phenol, tetrahydrofuran. Reactive with strong oxidizing agents, as well as strong acids and caustic will decompose polyester.

Hazardous decomposition products: Carbon monoxide, carbon dioxide, acetaldehyde.

# **SECTION 11: Toxicological information**

### Information on the likely routes of exposure

**Inhalation:** Combustion products may be irritant. High concentration of dust may be irritant to the respiratory tract.

**Ingestion:** Expected to be a low ingestion hazard.

**Skin contact:** May cause physical abrasion in contact with skin. Molten polymer will adhere to the skin causing deep thermal burns.

Eye contact: May cause physical abrasion in contact with eyes.



3D FILAMENT PET-G CarbonLook date of issue: 13.03.2020 date of update: 12.12.2023

#### Information on toxicological effects

Potential acute health effects:

Inhalation:	No known significant effects or critical hazards.
Ingestion:	No known significant effects or critical hazards.
Skin contact:	No known significant effects or critical hazards.
Eye contact:	No known significant effects or critical hazards.

#### Symptoms related to the physical, chemical and toxicological characteristics

Inhalation:	No specific data.
Ingestion:	No specific data.
Skin contact:	No specific data.
Eye contact:	No specific data.

#### Delayed and immediate effects and chronic effects from short and long term exposure

#### Short term exposure

Potential	immediate	effects:	

Potential delayed effects:

Not available. Not available.

Long term exposure

Potential immediate effects: Potential delayed effects:	Not available. Not available.
General:	No known significant effects or critical hazards.
Carcinogenicity:	No known significant effects or critical hazards.
Mutagenicity:	No known significant effects or critical hazards.
Teratogenicity:	No known significant effects or critical hazards.
Fertility effects:	No known significant effects or critical hazards.

### **SECTION 12: Ecological information**

Toxicity:	Not available.
Persistence and degradability:	Not available.
Bioaccumulative potential:	Not available.
Mobility in soil:	Not available.
Soil/water partition coefficient (KOC):	Insoluble in water
Mobility:	Not available.



3D FILAMENT PET-G CarbonLook date of issue: 13.03.2020 date of update: 12.12.2023

### Results of PBT and vPvB assessment

PBT: vPvB: Not available. Not available.

Other adverse effects

No known significant effects or critical hazards.

## SECTION 13: Disposal considerations

### Waste treatment methods

### **Product**

**Methods of disposal:** Like most thermoplastics, the product can be recycled. Can be landfilled or incinerated, when in compliance with local regulations.

**Hazardous waste:** Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 91/689/EEC.

### Packaging

**Methods of disposal:** The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Special precautions: This material and its container must be disposed of in a safe way.

## **SECTION 14: Transport information**

The substance is not subject to transport regulations on hazardous goods included in ADR (road transport), RID (rail transport), IMDG (marine transport) and ICAO/IATA (air transport).

## **SECTION 15: Regulatory information**

Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV

List of Substances of Very High Concern for Authorization: None of the components are listed.

#### Annex XVII

Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles: None of the components are listed.

Chemical Safety Assessment: Not available.



3D FILAMENT PET-G CarbonLook date of issue: 13.03.2020 date of update: 12.12.2023

# **SECTION 16: Other information**

The information contained in this safety data sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information provided is only intended as a guide to safe handling, use, processing, storage, transport, disposal and release, and no warranty or quality specification should be taken into account. The information applies only to a specific material and may not be relevant for such material used in combination with other materials or other processes, unless otherwise specified in the text. Although some hazards are described in this document, we cannot guarantee that these are the only hazards that exist.

COMPLIANCE WITH EUROPEAN UNION REGULATIONS FOR FOOD CONTACT PLASTICS

1. We confirm that this product fulfils the requirements on plastic materials used for articles or component of articles intended to come into contact with food as described in the following European legislation:

- European Regulation (EC) No 1935/2004
- Commission Regulation (EU) No 10/2011 (and amendments)
- Good Manufacturing Practice (GMP) Regulation (EC) No 2023/2006

2. Monomer(s) and/or additive(s) are listed in the positive list of regulation (EU) N°10/2011 (and amendments);

Monomer	PM Ref.	Specific Migration Limit(s) (mg/Kg):
Terephthalic acid	24910	7,5 expressed as terephthalic acid
Ethyleneglycol	16990	30 expressed as ethyleneglycol
Lutylenegrycol	53650	Su expressed as ethylenegiycol
2,2-dimethyl-1,3-propanediol	16390	0.05
	22437	0,05

3. The overall and specific migration tests carried out under recommended conditions (10 days/40°C) and (10 days / 40°C) respectively, using the food stimulants Ethanol 50% (D1), Acetic acid 3% (B) and Vegetable oil (D2), show that the polymer meet the migration limits required by EU legislation.

#### 4. Dual use additives

We declare the use of a "dual-use" additive, which is phosphoric acid (Ref. 23170 and 72640), who do not have a food contact SML.

5. We cannot assure that the final articles made with its material will be in compliance with the ongoing European Regulation in terms of global and specific migration limits, since it is unaware of the subsequent processing treatment such a polymer will be subjected to before its final use.

